

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
10 April 2003 (10.04.2003)

PCT

(10) International Publication Number  
**WO 03/028707 A1**

(51) International Patent Classification<sup>7</sup>: **A61K 9/48**,  
47/26, 31/40, 38/55

(21) International Application Number: PCT/CA02/01379

(22) International Filing Date:  
12 September 2002 (12.09.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
2,357,982 28 September 2001 (28.09.2001) CA

DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM,  
HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,  
LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,  
MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI,  
SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN,  
YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GI, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,  
ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK,  
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, ML, MR, NE, SN, TD, TG).

(71) Applicant and

(72) Inventor: SHERMAN, Bernard, Charles [CA/CA]; 50  
Old Colony Road, Toronto, Ontario M2L 2K1 (CA).

Published:

— with international search report

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CH, CN, CO, CR, CU, CZ,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SOLID COMPOSITIONS COMPRISING RAMIPRIL

(57) Abstract: A solid pharmaceutical composition for oral administration that comprises a mixture of ramipril with lactose monohydrate.



WO 03/028707 A1

## SOLID COMPOSITIONS COMPRISING RAMIPRIL

### BACKGROUND OF THE INVENTION

5 Ramipril is a medicinal compound that inhibits angiotensin-converting enzyme ("ACE") and is thus useful as an antihypertensive agent. It is disclosed in U.S. patent 5,061,722 and specifically claimed by claim 2 of that patent.

Capsules comprising ramipril are sold in the United States and elsewhere  
10 under the tradename ALTACE™ in strengths of 1.25 mg, 2.5 mg, 5 mg and 10 mg. For all four strengths, the capsules are two-piece hard gelatin capsules filled with a mixture of ramipril and pregelatinized starch.

Pregelatinized starch is thus the only excipient (i.e. inactive ingredient) with  
15 which the ramipril is mixed.

ACE inhibitors, such as ramipril, are generally very difficult to formulate into dosage forms because for most ACE inhibitors, contact with many of the excipients commonly used in pharmaceutical products accelerates the rate of  
20 degradation of the ACE inhibitor, so that the product is not sufficiently stable to enable long shelf-life. It is thus generally difficult to select the excipients that enable dosage forms with adequate stability.

For example, for the ACE inhibitor enalapril maleate, U.S. patent 5,562,921  
25 discloses that stable tablets can be made comprising anhydrous lactose as filler and zinc stearate as lubricant.

For certain other ACE inhibitors, and in particular quinapril, U.S. patent 4,830,853 discloses that the compound can be stabilized against oxidation  
30 and discolourants by including ascorbic acid or sodium ascorbate in the composition; and U.S. patent 4,743,450 discloses that stability is improved by inclusion of an alkaline compound as stabilizer.

™ - trademark

For the ACE inhibitor fosinopril sodium, U.S. patent 5,006,344 teaches that compositions are relatively unstable if they comprise magnesium stearate as lubricant, but stability can be improved by use of sodium stearyl fumarate or  
5 hydrogenated vegetable oil as lubricant.

None of the aforesaid teachings appears to be of assistance in formulating stable solid compositions for oral administration (i.e. capsules or tablets) comprising ramipril.  
10  
As aforesaid, ramipril is disclosed in U.S. patent 5,061,722. With respect to the formulation of solid dosage forms for oral administration, the said patent teaches as follows:

15           "Examples of inert carriers which can be used are gum arabic, magnesium stearate, potassium phosphate, lactose, glucose and starch, especially starch."

Also, as aforesaid, ALTACE™ capsules contain ramipril in admixture with  
20 pregelatinized starch as the sole diluent, presumably because the manufacturer found pregelatinized starch to be the diluent that enabled the best stability.

Although the stability of ALTACE™ capsules is sufficient to enable the  
25 capsules to be sold, the ramipril content does slowly degrade in ALTACE™ capsules, and it is desirable to enable solid dosage forms, and in particular capsules, with improved stability. The object of the present invention is thus to enable dosage forms comprising ramipril with stability superior to that obtained by diluting the ramipril with starch.

30

### SUMMARY OF THE INVENTION

It has surprisingly been found that, when lactose monohydrate is used as  
5 diluent, stability is superior to that achieved by using either anhydrous lactose  
or starch as diluent.

The invention is thus a solid pharmaceutical composition for oral  
administration comprising a mixture of ramipril with lactose monohydrate.  
10

### DETAILED DESCRIPTION OF THE INVENTION

In the case of capsules comprising an active ingredient in amount of 25 mg or  
more per capsule, it is sometimes possible and practical to fill the capsules  
15 with pure active ingredient, without diluting the active ingredient with any  
excipient at all.

However, in the case of capsules comprising a smaller amount of active  
ingredient, it is generally necessary to dilute the active ingredient with one or  
20 more excipients and then to fill the mixture into the capsules.

Since ramipril capsules are sold in strengths of 1.25 mg, 2.5 mg, 5 mg and 10  
mg, it is necessary to dilute the ramipril with one or more excipients.

25 There are many excipients that can be used as diluent in pharmaceutical  
capsules, including for example, starch, cellulose, calcium sulfate, calcium  
carbonate, dicalcium phosphate, lactose, dextrose, sucrose, dextrans,  
mannitol, maltodextrin, methylcellulose, and polyethylene glycol.

30

Depending on the excipient selected as the diluent, it may be necessary to include one or more other ingredients to serve, for example, as lubricant to avoid sticking to tooling, or as disintegrant to cause the contents of the capsules to disperse after the capsules is ingested and the shell is dissolved in gastric fluid. When starch is used as diluent (as done in ALTACE™), it is usually not necessary to include any other excipient, as starch has lubricant properties and disintegrant properties.

Lactose is available as both anhydrous lactose (with no water of hydration) and lactose monohydrate (with one mole of water of hydration per mole of lactose). As a general rule, anhydrous lactose, being free of water, would be expected to enable better stability than lactose monohydrate, particularly with ACE inhibitors, so it is particularly surprising that, in the case of ramipril, it has been found, as aforesaid, that lactose monohydrate as diluent enables better stability than use of either anhydrous lactose or starch.

As aforesaid, the invention is solid pharmaceutical compositions for oral administration comprising a mixture of ramipril with lactose monohydrate as diluent.

The composition may take the form of either a compressed tablet, or a two-piece hard gelatin capsule filled with a mixture comprising ramipril and lactose monohydrate.

25

The amount of ramipril per tablet or capsule will preferably be from about 1.25 mg to about 10 mg.

The amount of lactose monohydrate per tablet or capsule will preferably be from about 25 mg to about 200 mg and will more preferably be from about 50 mg to about 150 mg.

30

The composition will preferably further comprise another ingredient, which serves as a lubricant, to avoid sticking to tooling used to compress the tablet or fill the capsule.

5

The lubricant will preferably be a stearate such as magnesium stearate, zinc stearate or calcium stearate, and will more preferably be magnesium stearate. The amount of lubricant will preferably be from about 0.2 mg to about 2 mg per tablet or capsule, and will more preferably be from about 0.5 mg to about 1.5 mg per tablet or capsule.

10

The composition will also optionally comprise other excipients, such as, for example, starch, in admixture with the ramipril, lactose and lubricant.

- 15 The total amount of excipients other than lactose monohydrate will preferably be less than 50% of the composition by weight, more preferably less than 25%, even more preferably less than 10%, and most preferably less than 5%.

The invention will be further understood from the following examples.

20

<u>Examples:</u>		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
	Ramipril	1.25	1.25	1.25	1.25
	Pregelatinized starch, undried	148.75	0	0	0
	Pregelatinized starch, dried	0	148.75	0	0
25	Lactose anhydrous	0	0	147.25	0
	Lactose monohydrate	0	0	0	147.25
	Magnesium stearate	0	0	1.5	1.5
		150	150	150	150

30

For each of the 4 examples, the ingredients in the proportions shown were mixed together. The powder mixture was then passed through a #60 screen and mixed again. The powder mixture was then filled into size 4 two-piece  
5 hard gelatin capsules as a net fill of 150 mg per capsules, so that each capsule contained 1.25 mg of ramipril.

Capsules of each of the examples were stored at 50°C for one week and then tested by a high-performance liquid chromatographic method (HPLC) to  
10 determine the degradation products as a percentage of the ramipril content.

The results were as follows:

	<u>Example No.</u>	<u>Degradation Products</u>
15	1	2.58%
	2	2.93%
	3	3.11%
	4	1.10%

20 The level of degradation products in the ramipril used to make the capsules was 0.29%. The increase in degradation products in the capsules of example 4 was thus only about 0.8% versus over 2% in each of the other three examples.

25 It is thus shown that the use of lactose monohydrate, as diluent, enables a lower degradation rate than the use of anhydrous lactose or starch (whether dried or undried).

30

CLAIMS

1. A solid pharmaceutical composition for oral administration comprising ramipril and lactose monohydrate.
2. A composition of claim 1 enclosed in a two-piece hard gelatin capsule.
3. A composition of claim 1 or 2 wherein the amount of ramipril per tablet or capsule is from about 1.25 mg to about 10 mg.
4. A composition of any of claims 1 to 3 wherein the amount of lactose monohydrate per tablet or capsule is from about 25 mg to about 200 mg.
5. A composition of claim 4 wherein the amount of lactose monohydrate per tablet or capsule is from about 50 mg to about 150 mg.
6. A composition of any of claims 1 to 6 further comprises a lubricant.
7. A composition of claim 6 wherein the lubricant is a stearate.
8. A composition of claim 7 wherein the lubricant is selected from the group consisting of magnesium stearate, zinc stearate and calcium stearate.
9. A composition of claim 8 wherein the lubricant is magnesium stearate.
10. A composition of any of claims 6 to 8 wherein the amounts of lubricant per tablet or capsule is from about 0.2 mg to about 2 mg.
11. A composition of claim 10 wherein the amount of lubricant is from about 0.5 mg to about 1.5 mg.



12. A composition of any of claims 1 to 11 wherein the total amount of excipients other than lactose monohydrate is less than 50% of the composition by weight.
- 5
13. A composition of claim 12 wherein the total amount of excipients other than lactose monohydrate is less than 25% of the composition by weight.
- 10 14. A composition of claim 13 wherein the total amount of excipients other than lactose monohydrate is less than 10% of the composition by weight.
- 15 15. A composition of claim 14 wherein the total amount of excipients other than lactose monohydrate is less than 5% of the composition by weight.

## INTERNATIONAL SEARCH REPORT

Int'l Application No

PCT/CA 02/01379

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K9/48 A61K47/26 A61K31/40 A61K38/55

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, MEDLINE, BIOSIS, EMBASE, PASCAL, CHEM ABS Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 317 878 A (HOECHST AG) 31 May 1989 (1989-05-31) page 5 page 2, line 36,37 page 3, line 20 -page 4, line 21 page 1, line 43 -page 2, line 18 ---	1,2,6-9
X	DE 44 20 102 A (ASTA MEDICA AG) 14 December 1995 (1995-12-14) page 11, line 45-48; example 8 ---	1-9
X	WO 96 07400 A (ASTRA AB ;BAUER BRIGITTE (DE); KARLSSON CHRISTER (SE); LUNDBERG PE) 14 March 1996 (1996-03-14) examples 9,11,12 --- -/--	1-6



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

## \* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*&\* document member of the same patent family

Date of the actual completion of the international search

22 November 2002

Date of mailing of the international search report

27/12/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5618 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040. Tx. 31 651 epo nl.  
Fax: (+31-70) 340-3016

Authorized officer

Friederich, M

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 02/01379

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 562 921 A (SHERMAN BERNARD C) 8 October 1996 (1996-10-08) column 2, line 7-20 column 4, line 10-34; examples ----	2, 4, 6-8, 12-15
X	WO 00 34314 A (SHERMAN BERNARD CHARLES) 15 June 2000 (2000-06-15) page 9, line 1-4; examples 1-4 page 11, line 20-31 ----	2, 6-10, 12-15
P, X	WO 02 11709 A (HEXAL AG ; KLOKKERS KARIN (DE); FREUDENSPRUNG BRIGITTE (DE); HAEGER) 14 February 2002 (2002-02-14) page 5, line 1; examples 1-8 ----	1, 3
A	FIEDLER, HERBERT P: "Lexikon der Hilfsstoffe für Pharmazie, Kosmetik und angrenzende Gebiete" 2002, EDITIO CANTOR VERLAG, AULENDORF XP002222074 page 996, column 2, last paragraph -----	

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

International Application No  
PCT/CA 02/01379

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0317878	A	31-05-1989	DE 3739690 A1	08-06-1989
			AT 74513 T	15-04-1992
			AU 2581888 A	25-05-1989
			CA 1338344 A1	21-05-1996
			CN 1042917 A ,B	13-06-1990
			DE 3869919 D1	14-05-1992
			DK 653688 A	25-05-1989
			EP 0317878 A1	31-05-1989
			ES 2033400 T3	16-03-1993
			FI 885398 A ,B,	25-05-1989
			GR 3004925 T3	28-04-1993
			HU 48455 A2	28-06-1989
			IE 61173 B1	05-10-1994
			JP 1165596 A	29-06-1989
			JP 2049604 C	10-05-1996
			JP 7068140 B	26-07-1995
			KR 9704908 B1	08-04-1997
			NO 885213 A ,B,	25-05-1989
			NZ 227032 A	28-05-1991
			PH 27416 A	21-06-1993
			PT 89061 A ,B	01-12-1988
			US 5442008 A	15-08-1995
			US 5151433 A	29-09-1992
			ZA 8808734 A	26-07-1989
<hr/>				
DE 4420102	A	14-12-1995	DE 4420102 A1	14-12-1995
<hr/>				
WO 9607400	A	14-03-1996	AT 217187 T	15-05-2002
			AU 695865 B2	27-08-1998
			AU 3402995 A	27-03-1996
			CA 2174338 A1	14-03-1996
			CN 1134665 A	30-10-1996
			CZ 9601173 A3	11-09-1996
			DE 69526640 D1	13-06-2002
			DE 69526640 T2	07-11-2002
			DE 726766 T1	30-01-1997
			DK 726766 T3	22-07-2002
			EE 9600072 A	16-12-1996
			EP 0726766 A1	21-08-1996
			ES 2091173 T1	01-11-1996
			FI 961863 A	02-05-1996
			GR 96300055 T1	31-10-1996
			HU 76049 A2	30-06-1997
			JP 9504806 T	13-05-1997
			NO 961726 A	29-04-1996
			NZ 292298 A	26-02-1998
			NZ 329556 A	28-07-2000
			PL 314084 A1	19-08-1996
			RU 2184563 C2	10-07-2002
			WO 9607400 A1	14-03-1996
			SI 726766 T1	31-10-2002
			SK 55896 A3	05-03-1997
			TR 960186 A2	21-06-1996
			US 6086919 A	11-07-2000
			ZA 9507043 A	04-03-1996
<hr/>				
US 5562921	A	08-10-1996	CA 2128199 A1	16-01-1996
<hr/>				

INTERNATIONAL SEARCH REPORT  
Information on patent family members

International Application No  
PCT/CA 02/01379

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0034314	A	15-06-2000	NZ 333206 A	28-07-2000
			AU 1542200 A	26-06-2000
			BR 9916021 A	30-10-2001
			WO 0034314 A1	15-06-2000
			CZ 20012013 A3	17-10-2001
			EP 1137662 A1	04-10-2001
			JP 2002531577 T	24-09-2002
WO 0211709	A	14-02-2002	DE 10038364 A1	02-05-2002
			AU 9173101 A	18-02-2002
			WO 0211709 A2	14-02-2002